Dlag. Cht. No. 5602-2

Form 504

DEPARTMENT OF COMMERCE
U. S. COAST AND GEODETIC SURVEY

R.S. Patton Director

DESCRIPTIVE REPORT

Topographic | Sheet No. 7 4999

LOCALITY
North of Cape Mendocino
NORTHERN GOAST OF GALIFORNIA

HUMBOLDT DAY TO PAICE CAPE

False Cape to Humbolt Bay

CHIEF OF PARTY

A.P.Ratti

H.& C.E.

U. & GOVERNMENT PRINTING OFFICE: 10

4999

DESCRIPTIVE REPORT

To accompany Hydrographic Sheet No. 7 (Field No.) Humboldt Bay Entrance to False Cape, Northern Coast of California.

** *** ** ** ** **

DATE OF INSTRUCTIONS .Instructions covering this survey were dated April 27,1929.

SURVEY METHODS .-

All soundings on this sheet were obtained with the hand-lead, and all positions of same were determined by visual fixes using signals located by triangulation in1927 and topograph of 1929 as shown on topographic sheet field no.G.

REMARKS.-

(

Work on this sheet consisted in splitting the lines shown on Sheet Reg. No.1294. All soundings shown in red on boat sheet were transferred from the above sheet. Completion of this sheet was prevented by weather conditions at the end of the season.

Respectfully submitted,

H.& G.E., Chief of Party.

Augustus P. Ratti

TIDAL DATA SHEET NO. 8.

Location of tide gauge: Plane of Reference: Highest Tide: Lowest

Type of gauge:

North Jetty, Humboldt Bay, Calif.

MLLW 4.47 feet. 12.7 "

11 2.2

Standard Automatic.

STATISTICS SHEET NO.7.

Date 1929		Letter	Volume	Positions	Soundings	Miles Stat.	Vessel.	
Sept.	.23	a	1	72	274	12.4	Rogue	
Oct.	2	ъ	1	21	138	4.3	11	
17	7	c	1	34	144	8.5	11	
**	9	đ	1	24	90	5.1	79	
			TOTALS	151	646	30.3		

•

· ·

.

(

SECTION OF FIELD WORK H-4999 Page 1. REPORT ON SHEET NO 4999 -Surveyed Sept 23 to Oct 9. 1929. Chief of Party - A. P. Ratti Surveyed by-A.P. Rotti Protracted by - G.M.Marchand. Soundings plotted by G.M.M. Verified and inked by L. S. Straw
The records conform to the requirements
of the general Instructions
The plan and character of the development Julibles the requirements of the General 3. Sounding crossings are adequate. 4. The usual depth curves can not be completely drawn, because weather conditions did not permit the completion The survey.

5. The field plotting was completed as
frescribed in the General Instructions 6. The function with Sheet H. 5001 is OK. no function on lower end of sheet 1999 7. Hurther surveying is required fully develof important areas within the limits of this sheet 8 It was not necessary to do over any part of the field drafting 9. The work, accepted as an incomplete survey, is considered very good. Respectfully Submitted July 18, 1930.

FOR FILES OF FIELD RECORDS SECTION

May 8, 1930

Division of Hydrography and Topography:

Division of Charts:

Tide Reducers are approved in volumes of sounding records for

HYDROGRAPHIC SHEET 499

Locality: California (Table Bluff - False Cape)

Chief of Party: A. P. Hattl. in 1929
Plane of reference is mean lower low water, reading
4.5 ft. on tide staff at North Jetty. Humboldt Bay
12.5 ft. below B. M. 2

Condition of records satisfactory except as checked below:

- 1. Locality and sublocality of survey omitted.
- 2. Month and day of month omitted.
- 3. Time meridian not given at beginning of day's work.
- 4. Time (whether A.M. or P.M.) not given at beginning of day's work.
 5. Soundings (whether in feet or fathoms) not clearly shown: in record.
- 6. Leadline correction entered in wrong tolumn.
- 7. Field reductions entered in "Office" column.
- 8. Location of tide gauge not given at beginning of day's work.
- 9. Leadline corrections not clearly stated.
- 10. Kind of sounding tube used not stated.
- 11. Sounding tube No. entered in column of "Soundings" instead of "Remarks".
- 12. Legibility of record could be improved.
- 13. Remarks.

Chief, Division of Tides and Currents.

1. PW.

AND REFER TO NO. 11-WSW

DEPARTMENT OF COMMERCE

U. S. COAST AND GEODETIC SURVEY

WASHINGTON

August 28, 1930.

SECTION OF FIELD RECORDS

Report on Hydrographic Sheet No. 4999

False Cape - Humboldt Bay - California.

Surveyed in 1929

Instructions dated April 27, 1929.

Chief of Party, A. P. Ratti.

Surveyed by A. P. Ratti.

Protracted and soundings plotted by G. M. Marchand.

Verified and inked by L. S. Straw.

- 1. The records conform to the requirements of the general instructions.
- 2. The survey, as stated in the descriptive report, was not Completed, due to weather conditions and hence is incomplete. That portion which is done conforms to the requirements of the specific instructions.
- 3. The junction with H. 500l issatisfactory.
- 4. The junction with H. 1150 was not made due to the incompletion of the survey.
- 5. Additional work is necessary to complete this survey in accordance with the instructions of April 27, 1929. The work should be carried closer inshore if possible without too great a delay. The 5 3/4 fathoms sounding shown on H. 1294 in Lat. 40° 33' 945" Long. 124° 22' 250" should be examined and developed as it is a well defined "shoal indication". This development should be done when survey is completed.
- 6. Soundings agree satisfactorily with the old work, differing approximately 1 fathom.
- 7. Reviewed by I. E. Rittenburg, August, 1930.

Approved:

Chief. Section of Field Records (CHARTS

Chief, Section of Field Work (H. & T.)

DEPARTMENT OF COMMERCE

U. S. COAST AND GEODETIC SURVEY

HYDROGRAPHIC TITLE SHEET

The Hydrographic Sheet should be accompanied by this form, filled in as completely as possible, when the sheet is forwarded to the Office.

forwarded to the office.
Field No7
Field No. 7
State
General locality NORTHERN COAST North of Cape Mendocine
False Cape to Humbolt Bay Locality
Scale 1-20000 Date of surveySept.23 to Oct.9 , 19 29.
Vessel Chartered Launch Rogue
Chief of Party A.P.Ratti
Surveyed byA.P.Ratti
Protracted by G.M. Marchand
Soundings penciled by G.M.Marchaud
Soundings in fathoms -foot
Plane of reference MLLW Humboldt Bay
Subdivision of wire dragged areas by
Inked by Straw
Verified by
Instructions datedApril 27 , 19 29
Remarks:
U a covernment Painting Office

HYDROGRAPHIC SHEET No. .4999

The following statistics will be submitted with the cartographer's report on the sheet:

Number of positions on sheet	/2/.				
Number of positions checked	92				
Number of positions revised	3				
Number of soundings recorded	646				
Number of soundings revised	!2.				
Number of signals erroneously					
plotted or transferred	0				

Date: 44/y./9.1930.
Cartographer: L.S.Straw.