

Tide Correctors

Predicted tides for the project were provided on diskette by N/OES334 for the Ugaiushak, Alaska reference station (945-8553).

Tidal correctors as provided in the project instructions for this sheet are:

<u>Time Correction</u>	<u>Height Correction</u> <u>Range Ratio</u>
0hr 0min	x0.95

HDAPS listings of the data used in generating tide corrector tables are included in Appendix V of ~~this the~~ report. *

RAINIER personnel installed an 8200 digital gage at West end of Sutwik Island (945-8665) on 26 May 1994. Opening levels of the staff were conducted upon installation. Closing levels for the tide station will be completed by RAINIER personnel at the conclusion of the project. Bracketing levels were completed at the end of June.

The control station was Sand Point, Alaska (945-9450). Opening levels for the control station were conducted by RAINIER personnel on May 21-22, 1994. Closing levels at Sand Point, Alaska will be completed by the Pacific Operation Section N/OES214 during their annual visit in late July as per phone conversation with Mr. Mike Gibson (OES212).

The station descriptions, field tide records, and Field Tide Note (Appendix V) will be forwarded to N/OES212 monthly in accordance with HSG 50 and FPM 4.3, and at the end of the project. Requests for approved tides were forwarded to N/OES2 at the beginning of July. Tide note dated OCT 28, 1994 is attached to this report.