U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SERVICE					
Horizontal	and Veritcal Control Report				
Type of Survey	Hydrographic				
Project	S-P365-KR-20				
Contract No	1305M220DNCNJ0053				
Task Order No	TO02				
Time Frame	August 2020				
State	Alaska				
General Locality	Vicinity of Barry Glacier				
	2020				
	CHIEF OF PARTY				
	David R. Neff, C.H.				
LIBRARY & ARCHIVES					
Date					

NOAA FORM 77-28 (11-72)	NATIONAL OCE	U.S. DEPA ANIC AND ATMOSF				
HYDROGRAPHIC TITLE SHEET			H13396			
<b>INSTRUCTIONS -</b> The Hydrographic Sheet should be accompanied by this form, filled in as completely as possible, when the sheet is forwarded to the office.			<sup>FIELD №</sup> m, eTrac Inc.			
State	Alaska					
General Locality	Vicinity of Barry Glacier					
Sub-Locality	Barry Glacier					
Scale	1:25,0	00	Date of Survey	August 2020		
Instructions Dated	July 17, 2020		Project No.	S-P365-KR-20		
Vessel	R/V Inverness					
Chief of Party	David Neff					
Surveyed by	rveyed by eTrac Inc					
Soundings by echo sounder		R2 Sonic 202	4			
Graphic record scaled by		N/A				
Graphic record chec	ked by	N/A	Automated Plot	N/A		
Verification by	Pacific Hydrogra	phic Branch				
Soundings in	Meters at Mean Lower Low Water					
REMARKS:	NAD 83 (2011), UTM Zo	one 6				
	Times are in UTC The purpose of this contract is to provide NOAA with modern, accurate hydrographic					
	survey data with which to update the nautical charts of the assigned area.					
SUBCONSULTANTS:						
NOAA FORM 77-28 SUPERSED						



# Contents

A. Vertical Control	.1
B. Horizontal Control	
C. Approval Sheet	2

#### A. Vertical Control

Per the project instructions, survey data for S-P365-KR-20 were vertically referenced to the ellipsoid. A vertical separation model was generated and provided by NOAA OCS. This model was implemented by eTrac in order to transform the ellipsoidally referenced data from ITRF-2014 to MLLW. This separation model was applied in QPS Qinsy on the vessels in real-time to achieve MLLW in the field. Achieving MLLW in the field was extremely efficient for field operations as the NALL was easily identified in realtime. The separation model was carried through the processing pipeline maintaining MLLW throughout all processing efforts.

R/V Inverness received GNSS satellite corrections on the Applanix POS MV 320 over the G2+ carrier signal from the Marinestar Global Correction System maintained by Fugro. The Marinestar system is a global real-time GNSS broadcast system that delivers corrections from a network of base stations around the world via geo-stationary satellites. The Marinestar corrections system was utilized for both vertical and horizontal positioning. It should be noted that the G2+ carrier is a recent upgrade from the G2 carrier used in previous years. Improved accuracy was observed in the real-time solution as a result of this upgrade. Accuracies in the 9-13cm range were observed throughout the project, an improvement over the 13-20cm accuracies observed with the previous G2 string.

For S-P365-KR-20, Applanix PosPac MMS was utilized for all survey data to postprocess real-time positioning data utilizing Trimble's PP-RTX implementation of Trimble CenterPoint RTX. The Trimble CenterPoint RTX correction service is delivered via internet connection and integrated into Applanix PosPac MMS 8, to aid in post processed trajectories. A Smoothed Best Estimate of Trajectory (SBET) is provided by PosPac MMS and applied to survey data in Qimera 2.2.3.

#### **B. Horizontal Control**

Survey data for S-P365-KR-20 were collected in NAD83 (2011) horizontal datum, UTM Zone 6N Projection.

Horizontal positioning was achieved using the same equipment and methods as described in the Vertical Control section of this document.

## C. Approval Sheet



## S-P365-KR-20

Registry Number H13396

## Horizontal and Vertical Control Report

This report and the accompanying data are respectfully submitted.

Field operations contributing to the accomplishment of S-P365-KR-20 were conducted under my direct supervision with frequent personal checks of progress and adequacy. This report and associated data have been closely reviewed and are considered complete and adequate as per the Statement of Work.

David R. Neff | eTrac Inc. | Lead Hydrographer | October 12, 2020

eTrac Inc. October 2020